



International methamphetamine-related resources

The following document is one of three companion resources produced by the National Centre for Education and Training on Addiction (NCETA) as part of a project commissioned by the National Centre for Clinical Research on Emerging Drugs (NCCRED) involving an audit of Australian clinical guidelines for methamphetamine use disorder.

The other two resources in this series are:

Australian methamphetamine-related clinical guidelines

Other Australian methamphetamine-related resources.

Number	Title	Focus	Description	Link
1. 1	Clinical Guidelines on Drug Misuse and Dependence Update 2017 Independent Expert Working Group (2017). Drug misuse and dependence: UK guidelines on clinical management. London: Department of Health.	Healthcare professionals, providers and commissioners of treatment for people who misuse or are dependent on drugs. Professional and regulatory bodies	This is a 317 page document with 7 chapters; introduction, treatment provision, psycho social components of treatment, pharmacological interventions, criminal justice system, health, treatment situations and populations. Psychosocial interventions for amphetamines are included on page 48 in the introduction. Cocaine and other stimulants and behaviour change are discussed in section 3.7.3.1 on page 70. There is a section on	https://assets.publishing.se rvice.gov.uk/government/u ploads/system/uploads/att achment_data/file/673978/ clinical_guidelines_2017.pd f

Number	Title	Focus	Description	Link
		Service users and	stimulants in section 4.10.2, page 123. Management	
		carers.	of stimulant withdrawal is discussed in section	
			5.4.6.8, page 173. Women, pregnancy and	
			stimulants is located in section 7.6.10, page 223.	
2.	Gouzoulis-Mayfrank, E., Hartel-	Development of	This is a 10 page document. The method section on	https://www.ncbi.nlm.nih.g
	Petri, P., Hamdorf, W.,	methamphetamine-	page 4 states that it is a clinical guideline. This was	ov/pmc/articles/PMC55237
	Havemann-Reinecke, U., Muglig,	related guidelines.	developed following a -systematic review. Treatment	<u>99/</u>
	S., Wodarz, N. (2017).		recommendations are included in the section for	
	Methamphetamine-related		acute treatment and post-acute therapy.	
	disorders. Deutsches Arzteblatt			
	International. 114(26): 455-61;			
	DOI: 10.3238/arztebl.2017.0455			
3.	Matua Raki. (2010).	Front line workers and	This is an 82 page document The publication	https://www.matuaraki.org
	Interventions and treatment for	specialist addiction	provides information on treatment needs,	.nz/uploads/files/resource-
	problematic use of	practitioners.	pharmacology, managing intoxication and	assets/interventions-and-
	methamphetamine and other		assessment. It applies a Matrix model treatment	treatment-for-problematic-
	amphetamine-type stimulants.		package. The guideline provides a number of	<u>use-of-methamphetamine-</u>
	Wellington: Ministry of Health.		worksheet tools.	and-other-amphetamine-
				type-stimulants.pdf
4.	Matua Raki. (2010). What's new	Front line workers and	This is a 13 page document. It is a review of the	https://www.health.govt.nz
	in interventions and treatment	specialist addiction	content of the guidelines and current developments	/system/files/documents/p
	for problematic use of	practitioners.		ublications/whats-new-
	methamphetamine and other			

Number	Title	Focus	Description	Link
	amphetamine type stimulants. Wellington: Ministry of Health.		in the treatment of problematic methamphetamine and other amphetamine-type stimulants.	interventions-treatment- ats.docx
5.	Matua Raki. (2010). Substance withdrawal management guidelines for medical and nursing practitioners in primary health specialist addiction, custodial and general health settings. Wellington: Ministry of Health.	Medical and nursing practitioners in primary health, specialist addiction, custodial and general health settings.	This is a 92 page document. It covers information in withdrawal management and settings. It also includes information on alcohol and other drugs. Amphetamine type stimulants are covered on page 21.	https://www.matuaraki.org .nz/uploads/files/resource- assets/substance- withdrawal-management- guidelines-for-medical-and- nursing-practitioners.pdf
6.	Braunwarth, W., Christ, M., Dirks, H., Dyba, J., Hartel-Petri, Drug Commissioner of the German Federal Government. (2016). Practice guideline: Methamphetamine related disorders. Berlin: Drug Commissioner of the German Federal Government.	Making evidence-based statements on the Efficacy of pharmacological and psychotherapeutic Interventions. End user not stated.	This is a 219 page document with 10 sections. Its goal was to provide evidence based medical treatment / interventions for patients with methamphetamine-related disorders in Germany. Statements were voted on by experts and consensus ranking. Methamphetamine-related key words are embedded throughout the document.	https://www.aezq.de/mdb/ edocs/pdf/literatur/s3-gl- methamphetamine-related- disorders-long.pdf
7.	The American College of Obstetricians and Gynaecologists: Committee on Health Care for Underserved	Methamphetamine abuse in women of reproductive age.	This is a Committee opinion piece that focuses on the effects of methamphetamine in pregnancy and infant outcomes. Literature is reviewed and gaps identified.	https://www.acog.org/Clini cal-Guidance-&- Publications/Committee- Opinions/Committee-on-

Number	Title	Focus	Description	Link
	Women. (2011). Methamphetamine abuse in women of reproductive age. Committee Opinion Number 479, March 2011: Reaffirmed 2017.			Health-Care-for- Underserved- Women/Methamphetamin e-Abuse-in-Women-of- Reproductive-Age